



Cloud-Based Access Readers

Open and manage doors and gates with a smartphone, fob, key card, or PIN code



ButterflyMX’s line of contactless access control readers offers a modern aesthetic and state-of-the-art features that simplify the building-wide access experience.

Open doors and gates with a variety of credentials, including smartphones, fobs, key cards, or PIN codes.

OPEN DOORS WITH A SMARTPHONE



All ButterflyMX access control readers work with the ButterflyMX mobile app, which means tenants and staff can unlock doors & gates from their smartphones.

WORKS WITH OTHER BUTTERFLYMX PRODUCTS





Seamlessly connect your ButterflyMX access control readers with our other products — including our video intercoms, elevator controls, and key lockers — to enjoy a unified property access solution.

Mullion **Keypad**

KEY FEATURES INCLUDE :

- Multiple access technologies: mobile app, NFC & Bluetooth
- Indoor- and outdoor-rated
- Remote management
- Tamper detection
- Visual light confirmation and audible beep
- Encrypted security chip
- OSDP secure channel
- MIFARE DESFire® and MIFARE Plus® support
- Certifications: FCC, IC, CE, UL 294, EN (302291, 301489, 300330, 50130-4) IP55, BIS IS 13252

TECHNICAL SPECIFICATIONS:

<p>Model</p>	 <p>Mullion</p>	 <p>Keypad</p>
<p>RF technologies</p>	<p>13.56 MHz & mobile</p>	
<p>Color</p>	<p>Black</p>	
<p>Current</p>	<p>105 mA average, 145 mA peak</p>	<p>145 mA average, 195 mA peak</p>
<p>Voltage</p>	<p>5-16 VDC</p>	
<p>Temperature range</p>	<p>-31° F to 150°F (-35° C to 66°C) and 95% humidity</p>	
<p>Read range</p>	<p>up to 2"</p>	
<p>Dimensions</p>	<p>5.1" H x 1.7" W x 0.71" D</p>	<p>5.1" H x 3.25" W x 0.71" D</p>
<p>Visual / audio</p>	<p>Tri-state LED light bar (red, green, amber); audible buzzer</p>	
<p>Security level</p>	<p>EAL6+ cryptographic module</p>	
<p>Warranty</p>	<p>2 years</p>	



Cloud-Based Access Controller

Open and manage any door or gate from your smartphone or computer



OPENS ANY DOOR OR GATE



Works with all doors, gates, and elevators controlled by electronic or magnetic locks.

EASY INSTALLATION



Installs over any existing access control system and only requires an internet connection and power supply.

MULTIPLE ENTRY METHODS



Opens doors and gates with a mobile app, fobs, key cards, and PIN codes.

REMOTE MANAGEMENT




Manage credentials, review entry logs, and grant access from any smartphone or computer.

OFFLINE MODE



Provides access even when the internet is down or the power goes out (if backup battery is installed).

Cloud-based access controller



INPUTS INCLUDE :

- REX (motion) sensor compatible
- Emergency unlock switch
- Fire exit momentary switch
- Push to exit button
- Power: 12VDC, 2A (included)
- Door state sensor

OUTPUTS INCLUDE :

- Electric strike
- Magnetic lock
- Electric push/crash bars
- Elevator panels
- Gates/garage controllers
- Dry relay

TECHNICAL SPECIFICATIONS:

<p>Model</p>	<div data-bbox="787 205 1136 588" data-label="Image"> </div> <p>Cloud-based access controller</p>
<p>Color</p>	<p>White</p>
<p>Power supply</p>	<p>12-24VDC, 60W</p>
<p>Network</p>	<p>Ethernet; wifi</p>
<p>Offline features</p>	<p>Support; unlimited code storage; unlimited fobs/cards storage</p>
<p>Inputs</p>	<p>2 peripheral; 2 REX; Fire switch override; Ethernet port (RJ45)</p>
<p>Outputs</p>	<p>2 dry relay; 2 wet (12VDC, 1A) relay; 2 aux relay outputs</p>
<p>Backup battery</p>	<p>12V connector with built-in charging circuit</p>
<p>Dimensions</p>	<p>4.74" x 5.87" x 1.28"</p>
<p>Certifications</p>	<p>FCC; IEC 62599; UL 294; UL 62368; CAN/ULC 60839</p>
<p>Warranty</p>	<p>2 years</p>