

QR Code Intercom & QR Code Plaque







QR Code Intercom





Images are not to scale.

Product Specifications

- Standalone QR-code plaque, no power or electronics.
- Materials: brass, stainless steel, anodized aluminum
- Material Colors: gold (brass), silver (stainless steel), dark grey (anodized aluminum)
- Unique QR codes for visitors to initiate virtual intercom sessions.
- Connects guest to residents via virtual call through browser.
- · Photo audit logs for secure tracking.
- · Remote unlock capability via mobile app.
- · Cellular connectivity—no landline required.
- Cloud-based management dashboard for updates and directory changes.
- Retrofit-friendly, minimal hardware and ~60% less upfront cost vs traditional systems.

Dimensions

- 4" H x 7" W x 0.125" T
- Weight:
 - 1.07 lbs (brass)
 - 1.02 lbs (stainless steel)
 - 0.34 lbs (aluminum)

Mounting

- Double-sided industrial tape for smooth surfaces: Mounts to glass, metal, or other flat surfaces for a clean, tool-free installation.
- Backplate and anchors for rough surfaces: Mounts to brick, concrete, or textured walls using screws and anchors for a secure, long-lasting installation.

Mounting Strength

- (Tape) Withstands up to 160 psi pull-off force
- (Anchor+Screws) Withstands up to 140 psi pull-off force

Power Requirements

None

Network Requirements


None

▲ NOTE: The ButterflyMX QR Code Intercom system requires both a ButterflyMX 2-Door Controller and an electronic door lock or gate for full functionality. Without these components, the system will only allow directory access and calls to selected parties—remote access and door unlocking will not be possible.




QR Code Intercom/ Plaque

QR Code Plaque - Landscape



QR Code Intercom - Portrait





Images are not to scale.